
Precision and Hand Tool Replacement Parts and Recommended Price List



MOORE & WRIGHT (SHEFFIELD) LTD Handsworth Road, Sheffield 13, England

Telephone: Sheffield 49191


Telegrams: Moorite Sheffield 13



CONTENTS


Tool	Cat. No.	Page
Micrometers	891	2
	901	4
	902, 903	6
	904-908	8
	941	10
	961, 933	12
	966	14
Bevel Protractors	994, 995	16
Protractors	44, 45	18
Combination Sets	990-992	20
Calipers and Dividers	50-67	22
Automatic Centre Punches	280	24
	281	26
	282	28
Tap Wrenches	110	30
	108, 109	32
Spiral Ratchet Screwdrivers	849-851	34
Ratchet Screwdrivers	950	36
	950L	38
Surface Gauges	403-407	40
Depth Gauges	40-43	42
Engineers' Levels	305	44
Toolmakers' Clamps	410-413	46
Miscellaneous	168-173, 288, 360, 414-417, 502, 900, 1007, 1008	48

Only components listed and priced are available as replacement parts




Component parts for (M&W) No 891 Depth Gauge Micrometer

Price		0	0	0	4	4	4	4	4	4	4	4	4	œ	4	œ	œ	œ	œ
Pr		∞	œ	œ	o	6	6	7	7	7	7	1	7		7		4	4	
Part No		101948 S A	101950 S A	101952 S A	101954 S A	101956 S A	101958 S A	104021 S A	104022 S A	104023 S A	104024 S A	104025 S A	104026 S A	101963	101045 S.A.	101961	101393	101435	101009
Description	Interchangeable Rods S A	0–25 mm	25–50 mm	50–75 mm	75–100 mm	100–125 mm	125–150 mm	150–175 mm	175–200 mm	200–225 mm	225–250 mm	250–275 mm	275–300 mm	Thimble Adj Nut	Thimble S A	Thimble Clamp Nut	Sleeve	Sleeve	Screw Adj Nut
Cat No	891 M													891 M			953	953M	961
Price	œ	4	œ	œ	œ		0	0	0	4	4	4	4	4	4	4	4	4	
Pr		7					œ	œ	œ	6	6	6	7	11	7	7	7	7	
Part No.	101960	101944 S.A.	101961	101964	101965		101947 S A	101949 S A	101951 S A	101953 S A	101955 S A	101957 S A	104015 S A	104016 S A	104017 S A	104018 S A	104019 S A	104020 S A	
Description	Thımble Adı Nut	Thimble S.A.	Thimble Clamp Nut	Rod Adj Nut	Rod Locking Nut	Interchangeable Rods S A.	0"-1"	1"-2"	2"-3"	3"-4"	4"-5"	5"-6"		7"–8"	8″-9″	9"-10"	10"-11"	11"-12"	
Cat No	891	•	•																




Price	4 8	7 4	-	8 9	2 4	1 4	∞	4 8	1 4	∞		7 8			7 8	4 8	7 4	4 8		7 8			α,	`
Part No	102703	102701	102717	102716	102713	102714	102722	102707	102715	101701		102709 S A			102711 S A	102704	102702	102708		102710 S A			102720 S.A	
Description	Sleeve	Thimble	Handle	Clamp	Endscrew	Screw Adj Nut	Adjusting Key	Spacing Collar 0 250"	Lockscrew	Knurled Collar	Small Ext Rod complete	with Anvil, 1"-1½"	Large Ext Rod complete	with Anvil and knurled	collar, 1½"-2"	Sleeve	Thimble	Spacing Collar, 6 35 mm	Small Ext Rod complete	with Anvil, 25-35 mm	Large Ext Rod complete	with Anvil and knurled	collar 35-45 mm	oo (1511)
Cat No	901															901 M								




Component parts for (MM) Nos 902, 903 Internal Micrometers.

Price		0	0	•	•	> <	> <	> <	> <	9 6	> 0	> 0	>	0	c	•	ø	∞	ೲ		T		
ď		10	10	5	2 5	9 5	2 5	2 5	2 5	= ç	2 5	2 ;	2	10	5	2	4	7	4		N		
Part No.		101718 S A	101720 S.A	101773 C A	101720 0 A	101123 G A	101727 S.A	101729 3 A	101731 S.A	101/33 V A	101/35 S.A.	101/3/ S.A	103245 S A	103246 S A	1032/7 S A	()	101709	101710	101716	,	101359		
Description	Extension Rods S.A.	50–70 mm	70-90 mm	90_110 mm	110 120	130 150 mm	150-130 IIIII	130-170	100 210	210 220	230 250 mm	250-250 [[[]]]	mm 0/7-0c7	270–290 mm	290-310 mm	200	Sleeve	Thimble	Spacing Collar, 10 mm		Lockscrew		
Cat No	902M																902M			į	100		
Price	∞	•	×	4	∞	0	0	ø	œ	œ	∞		<	> 0	>	0	0	0	0	0	0	0	0
ď		•	4	7	4		4			4			5	2 (2	10	10	10	10	Ć.	<u>1</u>	10	10
Part No	101960	100	101101	101708	101745	101748	101742	101743	101744	101715	101738		A 0 777 0 A	40 /1/101	101/19 S A	101721 S A	101724 S A	101726 S A	101728 S A	101730 S A	101732 S A	101734 S A	101736 S A
Description	Thimble Adj Nut	ō	Sieeve	Thimble	Handle (Cat No 786)	Handle Screw	Endscrew	Screw Adj Nut	Adjusting Kev	Spacing Collar, 0 500"	Knurled Collar	Extension Rods S A	"0 "0	S- 2	3"-4"	4"-5"	5"-6"	"9	7"-8"	8″9″	9"-10"	10"-11"	11"–12"
Cat No	891		206	-					`														




Component parts for (MA) No 904-908 Internal Micrometers

Cat No.	Description	Part No.	Price
904	Endscrew	101478	2 4
	'A' Anvil	101469	_
	'B' Anvil	101469 B/S A	_
	'C' Anvil	101469 C/S A	14 0
	'D' Anvil		-
	É Anvil	101469 E/S A	14 4
904M	hangeable Anvils S		
	A Anvii 'B' Anvii	101469 MA/S A 101469 MB/S A	4 4
	'C' Anvil	101469 MC/S A	_
	'D' Anvil	101469 MD/S A 101469 MF/S A	4 4 4 4
905	=		16 4
905M	Spacing Piece, 125 mm	101471	16 4
954	Lockscrew	101359	2 4
961	Sleeve	101010	4 8
961M	Sleeve	101027	4 8
961	Screw Adj Nut	101009	∞
961	Thımble	101011	7 4
961 M	Thımble	101028	7 4
961	Thımble Adı Nut	101025	00
961 M	Thimble Adj. Nut	101426	∞




Component parts for (M&W) No 941 Adjustable Micrometer

Price	8	∞	∞	∞	0 /	7 4	7 4	cs.		0 8	0	~	0
Part No	101027	101009	101025	101426	101014 S A	101034 (Eng only)	101028 (Metric only) 7	Components available for larger Adjustable Mics.	SA	101693 S A 1	101694 S A	101692 M/S A	101694 M/S A
Description	Sleeve	Screw Adj Nut	Thimble Adj Nut	Thimble Adj Nut	Ratchet S A	Thimble	Thimble	onents available for	Interchangeable Anvils S A	'E' Anvil	'F' Anvil	'F' Δηνιί	F Anvil
Cat No	961 M	961	961	961M	961	964	961M	Comp	1044			1044M	
Price	∞ (20	4 4	· 00		4 4		4 <	r		4	4	∞
PT			13	•	,	14		15	2		15	16	4
Part No.	101249	101249 A	101248 A/S A 101248 B/S A	101251	A	101248 MA/S A 101248 MB/S A	4	101248 C/S A	0 / 0 0 + 4 0	Ą,	101248 MC/S A	101248 MD/S A	101010
Description	Anvil Locknut	Anvil Adj Nut Interchangeable Anvils S	'A' Anvil 'B' Anvil	Adjusting Key	Interchangeable Anvils S	'B' Anvil 101	Interchangeable Anvils S	C. Anvil		Interchangeable Anvils S	'C' Anvil	D' Anvil	Sleeve
Cat No	940				940M		941			941M			961




Component parts for (M&W) No 961 Micrometer

Price	∞	4	4	0	œ	œ	œ	œ	4	∞	4	œ		œ	4	4	0	œ	∞	œ	œ	œ	4	œ
P	4	7	7	7			4		က	4	7			4	7	7	7			4		4	7	
Part No	101010	101570	101011	101014 S A	101009	101025	101035 S A	101024	101342	101027	101028	101426) 933 Micrometer	101305	101343	101303	101309 S A	101301	101304	101306 S A	101313	101432	101431	101433
Description	Sleeve	Vernier Sleeve	Thimble	Ratchet S A	Screw Adj Nut	Thimble Adj Nut	Lockring S A	Adjusting Key	Dummy Speeder	Sleeve	Thimble	Thimble Adj Nut	Components for (M&W)	Sleeve	Vernier Sleeve	Thimble	Ratchet S A	Screw Adj Nut	Thimble Adj Nut	Lockring S A	Adjusting Key	Sleeve	Thimble	Thimble Adj Nut
Cat No	961									961M				933								933M		




Component parts for (M&W) No 966 Micrometer

Cat No	Description	Part No	Pric
1961	Sleeve	101010	4
961 M	Sleeve	101027	4
961	Screw Adj Nut	101009	
196	Thimble Adj Nut	101025	
961M	Thimble Adj Nut	101426	
961	Ratchet S A	101014 S A	_
964	Thimble	101034 (Eng only)	7
961M	Thimble	101028 (Metric only)	7
996	Locknut complete	101064 S A	4




Components parts for (M&W) No 995 Universal Bevel Protractor


Cat No.	Description	Part No	Pr	Price
994/5	Blade Locking Plate Ass Pinion Thumbscrew Ass	102196 S A 102214 S A	1 13 0 7 4	04
	Acute Angle Attachment			
	complete	102203 S A	1 15	0
	6" Blade only	102210	12	4
	12" Blade only	102218	17	4
	Swivel Plate Ass	102192	1 10	0




Cat No.	Description	Part No		P	Price
44	Clamp Nut and Screw				
	complete	103121 S A		8	6
	Body	103118	~		6
45	Clamp Nut and Screw				
	complete	103121 S.A.		8	6
	Body	103120	_	,	6
44/45	Rule	101142		6	9
44A/45A	Rule	101339		10	9
44C/45C	Rule	101136		16	0
44M/45M	Rule	101341		တ	9



Price	∞		∞		
۵	-		2 12		
	8		N		ds, hs
			A		s ire. and 32n and 64ti
Part No	101699 101351 101352 101854	101266 101700 101353	101354 101855 101267	Rule Graduations 6ths, 32nds, 64ths	foths, 32nds, 64ths, 100ths foths, 32nds, 64ths, 50ths Millimetre and half millimetre. I side in half millimetres and 32nds, everse side in millimetres and 64ths
Description	ĞÇÜĞ,	` & `A` B, `A`	`A Ğ R Ğ E,	Rule Graduations 3ths, 16ths, 32nds, 64ths.	ths, 32nds, 6 ths, 32nds, 6 llimetre and side in half erse side in
	18" Rule	24" Rule		~~	'B' 161 'C' 161 'M' Mil' 'M & E' 1 s
Cat No.					
Price	004	4 0 0	004		0
•	0 - 0	1 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1	5 14 5		-
Part No	101317 S.A. 101212 S.A 101209 S.A	101215 101216 101314	101215 (Hardened) 101216 (Hardened) 101314 (Hardened)		101217 101349 101350 101291
	ete			ns	7.,
Description	990/992 Protractor Locking Screw (complete) Scriber only Clamp Screw complete	Square Head Centre Head Protractor	Square Head Centre Head Protractor	Graduations	12" Rule 'A' 'B' 'C' 'M' 'M'




3 S A 1 6 5 2 0 N 4 6 6 6 9 0 N 4 6 6 6 0 0 N 4 6 6 6 0 0 N 4 6 6 6 6 0 0 N 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		4444	\$ 4 4 4 5	∢ "
Part No 100983 S vith 100337 Q 100382 Q 100383 Q 100384 Q 100384 Q	100983 100983 100338 100365 100985	, ,	2,	S.A., 3" 100/80 S.A. 103435 S.A. 103449 S.A. 103429 S.A. 100776 S.A. 103443 S.A. 103443 S.A. 103443 S.A. 103443 S.A. 103443 S.A. 10343 S.A. 10343 S.A.
Description 12" Screw complete with Ouicknut, 3" 4" 5" 6" 8"	L L B			Spring Assembly S.A.4" and 5" 67 Screw complete with Solid Nut, 2" 3" 4" 5" 6" Roller, 2" and 3" 4" and 5"
Se Cat No 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6 6 6 6 6 0 53/54/55	0 0 0 0 54/55 0 6 6 6 6 6		33 65/66/67 66 66 66 6
Price 1 1 0 1 1 0 1 1 1 0 0 1 1 1 1 0 0 1 1 1 1 0 0 1 1 1 1 0 0 1	m		0000	
Part No 100342 S A 100389 S A 100387 S A 100980 S A 100337 S A 100382 S A	100337 S A 100982 S A 100983 S A 1003337 S N	100382 S N 100383 S N 100384 S N 100982 S N 100983 S N 100385 100385 100344	C	100347 S A A 1003374 S A 1003374 S A 1000374 S A 1000387 S A 1000387 S A 1000387 S A 1000387 S A 1000979 S A 100982 S A 5 A 5 A 5 A 5 A 5 A 5 A 5 A 5 A 5 A
<i>tron</i> iplete, 3″ 12″	nplete with ut, 3"	4" 5" 6" 6" 8" 10" 10" 10" 12" 12" 12" 12" 12" 12" 12" 12" 12" 12	6" 8", 10" and 12" Spring, 3" 4" and 5" 6" 8", 10" and 12"	Spring Assembly, 3' 4" and 5" 6" 8", 10" and 12" Ouick Nut complete, 3" 4", 5" and 6" 8", 10" and 12" Screw, 3" 6" 5" 6" 8"
Cat No Description 50/51/52 Solid Nut complete, 4" and 5" 6" 8", 10" and 12" Screw, 3" 4" 5"	6" 8" 10" 12" Screw com Solid Nu	4" 5" 66" 68" 10" 12" Ball, 3" 8", 10" a Roller, 3" 4" and 5'	6", 1 8", 1 8", 1 4" ar 6" 8", 1	50/55 Spring Asset of the following states of the foll




Component parts for (M&W) No. 280 Adjustable Automatic Centre Punch.

Nose 101976 2 Point Assembly 101973 S.A. 3 Hammer Spring 101982 Trip Spring 101977 2 Frip Hammer 101974 3
101973 S.A., 101981 101982 101977 101978 101974
101977 101978 2 101974 3
101978 2 101974 3
101974 3




o. Price	S A 3 - 1 2 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
Part No.	101991 101993 17 101992 S.A 101982 101977 101978 101978
Description	Nose Point Point Holder Assembly Hammer Spring Return Spring Trip Spring Trip
Cat. No	281




Component parts for (M&W) No 282 Adjustable Automatic Centre Punch.

Price	0 9	9 4	9	ဖ	9	0	9
Pri	/ 65	က				7	9
Part No	104805 104802	104803	104812	104813	104810	104809	104808
Description	Nose	Point Holder	Heavy Hammer Spring	Light Hammer Spring	Trip Spring	Trip	Hammer
Cat No	282						




Cat No.	Description	Part No.	Price	ce
110A	Jaws Barrel	104856 S A 104855	22	6
110B	Jaws Barrel	104863 S A 104862	7 8	6
110C	Jaws Barrel	104870 S A 104869	4 r	9 6





Component parts for (MAW) Nos 108 and 109 T-Handle Tap Wrenches

Price	77	77
Part No	100793 S A 100792	100692 S A. 100689
Description	Jaws Barrel	Jaws
Cat No	108	109




Price	1 0	စ	0 9	0 9	3			1 0	1 0	1 0	9	9	6 9	6 9		9 E			1 6	1 0	9	9	ထ	ო დ	9 8		9 8	-0	1 9
Part No	103097 S A	100512	102738	102737	102759	102758	102757	102745	102749	102776 S A	102774	100512	102772	102771	102796	102795	102794	102782	102786	102776 S A	102774	100512	102808	102807	102827	102826	102825	102813	102817
Description	Switch Assembly	Ferrule Screw	Small Nut	Large Nut	Blades 'A'-Light	'B'-Medium	'C'-Heavy	Quick Return Spring	Handle	Switch Assembly	Pawl	Ferrule Screw	Small Nut	Large Nut	Blades 'A'-Light	'B'-Medium	'C'-Heavy	Quick Return Spring	Handle	Switch Assembly	Pawi	Ferrule Screw	Small Nut	Large Nut	Blades 'A'-Light	'B'-Medium	'C'-Heavy	Quick Return Spring	Handle
Cat No	849									850										851									






Component parts for (M&W) No 950 L Ratchet Screwdriver

Price	9	9	9	၈	၈	၈	6	6
ď				m	က	က	ო	
Part No	103097 S A.	103089	103092	103086/1 S A.	103086/2 S A	103086/3 S A	103086/4 S A	103093
Description	Switch	Pawl	Ferrule Screw	Blade S A , 1"	2"	3″	4,"	Handle
Sat No	350L							




Component parts for (M&W) Universal Surface Gauges.

Cat No	lo Description	Part No	Price	ce
	Scriber	103157	~ .	
	4" Spindle	103150	- ~	o ec
	7" Spindle) r	· c
	Spindle Clamp complete	0 0		
	Scriber Clamp complete	103158 S.A	ופ	•
	Rocker	103142	o.	4 (
	Rocker Adi Screw	103145	-	50 (
	Scriber	100207	~	∞ •
	Scriber Clamp complete	100205 S A	9	0
	Scriber	100207	-	∞
	9" Spindle	101581	က	∞
	12" Spindle	101665	ល	œ
	Spindle Clamp complete			,
		Spec spindle diam 🏂	7	0
	Scriber Clamp complete	SSA		,
	·	Spec spindle diam 🟪	9	0
	Rocker	101573	D.	4
	Rocker Adj Screw	101576	_	œ
	Scriber Clamp complete		1	,
	(as 405)	100205 S A	_	0
	Scriber	103177	_	×
	12" Spindle	103171	D.	100
	18" Spindle	103172	∞ 1	~ (
	Spindle Clamp complete	ŝ	_	-
	Scriber Clamp complete	103176 S A	י פ	> <
	Rocker	9	י מ	4 (
	Rocker Adj Screw	101576	_	×



Component parts for (M&W) Depth Gauges.


Cat. No.	Description	Part No.	Pri	Price
CA/ CA/ FA/ OA	Clamp Screw complete	101143 S.A.	m	3
24/34/14/24	Base for No. 40 101141	101141	œ	0
	Base for Nos. 41			(
	and 42A	101187	0	0
	Body for No. 43	100831	4	0
40/41/43	Rule	101142	6	9
42A/43B	Rule	101340	15	က
40A/41A/43A	Rule	101339	10	9
40C/41C/43C	Rule	101136	16	0
40M/41M/43M Rule	Rule	101341	6	9



 Cat. No.
 Description
 Part No.
 Price

 305
 Main Vial Assembly, 6"
 104157 S.A.
 3 3 4 1 0 104173 S.A.
 4 1 0 104183 I.2"

 12"
 104183/12" S.A.
 4 1 0 104183 I.2"
 6 1 0 0 104183 I.2"
 7 0 0 104183 I.2"



Cat. No.		Description	Part No.	P	Price
410	Clear Ho	Clear Hole Jaw (Top)	100012	m	က
	Screw Ho	Screw Hole Jaw (Bottom)	100011	m	က
	Spring S	Spring Screw (Top)	100013	7	<u>ග</u>
	Plain Scr	Plain Screw (Bottom)	100014	7	6
	Spring		100015 Not supplied		
	Spring S	Spring Securing Screw	100310 separately		9
411	Clear Ho	Clear Hole Jaw (Top)	100002	4	0
	Screw Ho	Screw Hole Jaw (Bottom)	100001	4	0
	Spring S	Spring Screw (Top)	100004	7	6
	Plain Scr	Plain Screw (Bottom)	100003	8	6
	Spring		100005 Not supplied		
	Spring S	Spring Securing Screw	100310 ∫ separately		9
412	Clear Ho	Clear Hole Jaw (Top)	100021	2	9
	Screw Ho	Screw Hole Jaw (Bottom)	100020	D	9
	Spring S	Spring Screw (Top)	100022	m	က
	Plain Scr	Plain Screw (Bottom)	100023	n	က
	Spring		100024 Not supplied		
	Spring S	Spring Securing Screw	100310 ∫ separately		9
413	Clear Ho	Clear Hole Jaw (Top)	101132	1	က
	Screw Ho	Screw Hole Jaw (Bottom)	101131	7	es
	Spring S	Spring Screw (Top)	101133	4	0
	Plain Scr	Plain Screw (Bottom)	101134	4	0
	Spring		101135 Not supplied		
	Spring S	Spring Securing Screw	100310 ∫ separately		9

MISCELLANEOUS COMPONENTS

Cat. No.	Description	Part No.			F	Price
	Components for (M&W) Spe	ed Indicator				
360	Male Insert	103201 S.A.			4	0
	Female Insert	103203 S.A.			4	0
	Components for (M&W) Scr	ewdriver Handle	¥.			
288	5" Handle	101191			2	
	5" Handle Plug 11" Handle	101424 102852			1 7	0
	11" Handle Plug	101424			1	0
	Components for (M&W) Adj	ustable Try-Squa	are			
414/415/416	Clamp Screw complete	101100 S.A.			1	4
	Components for (M&W) Die	-Maker's Square				
417	Offset Blades	104040			13	4
	Rule for 417A Rule for 417M	104031 104043			7	4
		N 100 N 100 N 100 N				4
F00	Components for (M&W) V-B	\$ 4 E)		[9]	
502	Clamps only Clamp and Screw complete	102085 102085 S.A.			11 13	9
	Components for (M&W) Tele	escopic Gauges				
900	Spring A	102437				8
	B C	102442				8
	D	102448 102459				8
	E, F, G, H	102466			1	0
	Components for (M&W) Too	lmaker's Cabinet	E			
1007/8	Lock and 2 Keys Handle and Fittings				13 4	4
	Replacement Feeler Gauge	Blades				
168 169	75 mm long, tapered blade 100 mm long, tapered blade	100941 100312			1	0
171	3" long, parallel blade	100312			1	3
172	3" long, tapered blade	100941			1	3
173	4" long, tapered blade	100312			1	6
	- 9		Тар	ered	Para	llel
			PI	rice	Pric	e
	6" long blade 9" long blade	100816 100817	3	6		3 3
	12" long blade	100817	3	9		3 6
	15" long blade	100819	4	0		9
	18" long blade 24" long blade	100820 100821	5 6	0	(F)	6 6
	The second second second		-	-	_	-

